

dēanta













WALNUT





RED DEAL



DARK GREY ASH / WENGE



CONTENTS

P. 006 - P. 007	THE DEANTA STORY We are not just another door company.	P. 100 - P. 101	GLASS OPTIONS Our range of glass options for our unglazed doors.
P. 008 - P. 009	DOOR ACCESSORIES Our Range of locks, handles and hinges.	P. 102 - P. 107	SKIRTING AND ARCHITRAV Our range of skirting and architrave in oak, walnut & primed
P. 010 - P. 043	OAK DOORS Our range of oak doors.	P. 108 - P. 113	ACCESSORIES Corner Blocks, door frames, door dividers, window board, heel blocks
P. 044 - P. 069	WHITE PRIMED DOORS Our range of white primed doors.	P. 114 - P. 115	WALL PANELLING Deanta wall panelling
P. 072 - P. 089	WALNUT DOORS Our range of walnut doors.	P. 116 - P. 117	BEING RESPONSIBLE 98% of all our onsite waste is recycled.
P. 090 - P. 093	DARK GREY ASH & WENGE DOORS Our range of ash and wenge doors.	P. 118 - P. 119	THE DEANTA DIFFERENCE Why Deanta?
P. 094 - P. 095	RED DEAL DOORS Our range of red deal doors.	P. 120 - P. 121	TERMS & CONDITIONS The fine print.
P. 096 - P. 099	FIRE & CONTRACT DOORS Our range of FD30 and contract doors.	P. 122 - P. 123	BESPOKE DOORS Any door, any size.

ORIES S ш Δ

déanta

The Range of Deanta Door Accessory Sets has been exclusively chosen to complement our doors. The Aran, Lagan, Barrow, Inishmore & Skellig Range can come in both standard & bathroom sets, which include:

1 x Pair of Handles 3 x Hinges, 1 x Pair of Escutcheons & 1 x Lock with 2 x Keys.

All Sets are Available in both Chrome Plated & Satin Nickel Finishes.

For further information visit our website at: www.deantadoors.ie or please contact your local stockist.






PAGE 06














Black Graphite



THE DEANTA STORY

Deanta Doors is a 100% Irish owned company that designs and manufactures its own range of real wood veneered interior doors, frames, skirting and architrave. Our innovative designs have set the standard in modern and contemporary internal doors. We are driven by three simple ideals; delivering a quality product, excellence in customer service and a determination to continue innovating and leading the field in interior doors.

We manufacture and supply to the trade a wide range of beautifully crafted stylish interior doors including oak, walnut and white primed doors along with a selection of FD30 fire doors. Our Fire doors are Certified and manufactured to safety standard BS 476: Part 22: 1987 (Chiltern International certification). All Deanta doors are manufactured to the highest standard with only the finest of materials ensuring you get the best from your contemporary Deanta door.

We truly care about the experience our customers have with us. We welcome feedback and continually strive to deliver unsurpassed customer care. Deanta has over twenty-five years of experience in the building and design industry which we believe is fundamental in creating strong, working relationships with our clients who are suppliers to the construction industry, designers, architects, builders & the general public.

OUR COMMITMENT TO QUALITY

As with the "voice of the customer", customer satisfaction is Deanta's highest priority. We achieve this goal by listening to our customers and by focusing on innovation while continuously improving the cost effectiveness as well as the performance of all our products and processes. Unlike most other Irish door companies, we have our own manufacturing facility. This allows us not only to control our supply chain but quickly respond to customer feedback. With full ownership of the quality control process we seek to ensure every door that leaves our factory is of the very highest standard. Owning the process from production to distribution enables us to be extremely competitive on price, as well as surpassing expectations on service while permitting the flexibility to have doors manufactured to meet your specification.





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Covered by the Deanta 10 year manufacturers warranty
- Clear/Frosted toughened glass
 Frosted double laminated glass

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

HP1

FINISHES AVAILABLE

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

HP1GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm



OAK





SIZES - FROSTED

HP1GF - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm





HP12 in prefinished oak. Featured skirting and architrave - Ulysses, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS





FINISHES AVAILABLE

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

1981 x 838 x 44mm

HP12

SIZES - SOLID / FD30

SIZES - CONTRACT

2032	x 864 x 44mn
2032	x 813 x 44mn
1981	x 762 x 44mn
1981	x 711 x 44mn
1981	x 838 x 44mn



FINISHES AVAILABLE

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



GLASS OPTIONS





OAK

HP27G - CLEAR

SIZES - GLAZED CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 013 PAGE 012



HP16 unglazed in prefinished oak. Featured skirting and architrave - Moulded, oak

FEATURES

OAK

9

» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
- » Bevelled glass available (special order) see page 100-101

DOOR DETAIL

GLASS OPTIONS





SPECIFICATIONS

FINISHES AVAILABLE

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP16G - BEVELLED

HP16G - UNGLAZED

UNGLAZED / FD30

2032 x 864 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

HP18 & HP18 unglazed in prefinished oak. Featured skirting and architrave - Shaker, oak

DOOR DETAIL



GLASS OPTIONS





SPECIFICATIONS

FINISHES AVAILABLE

SIZES - SOLID / FD30

HP18

2032 x 864 x 44mm	2032
2032 x 813 x 44mm	2032
1981 x 762 x 44mm	1981
1981 x 711 x 44mm	1981
1981 x 838 x 44mm	1981

UNGLAZED / FD30

HP18G - UNGLAZED

x 864 x 44mm x 813 x 44mm x 762 x 44mm	2032 x 864 x 4 2032 x 813 x 4 1981 x 762 x 4 1981 x 711 x 4
x 711 x 44mm	1981 X / I I X 4
x 838 x 44mm	1981 x 838 x 4

SIZES - CONTRACT

44mm 44mm 44mm 44mm 44mm

PAGE 015 PAGE 014

PAGE 016





HP22

SIZES - SOLID / FD30

2040 x 534 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - BEVELLED

HP21GB - LINE BEVELLED


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 017

OAK







» Real American white oak veneer

- » Crown cut veneer
- » Solid core
- » Prefinished

DOOR DETAIL


» Covered by the Deanta 10 year manufacturers warranty

* Handle Options - see page 9.

Square edge detail for the classical shaker look.








SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP23



- » Real American white oak veneer

- » Contract door option available (in solid only)
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

CL

» Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



ED30 CT Contract

SPECIFICATIONS

SIZES - SOLID / FD30

HP24

2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm

HP24GC - CLEAR

SIZES - GLAZED CLEAR SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

OAK

PAGE 019 PAGE 018

NEW FOR 2019



26

NEW FOR 2019



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Clear toughened glass

FINISHES AVAILABLE

- » Covered by the Deanta 10 year manufacturers warranty

HP26GC - CLEAR

DOOR DETAIL



» Crown cut veneer

» Clear toughened glass

FEATURES

» Solid core

» Prefinished

» Real American white oak veneer

GLASS OPTIONS DOOR DETAIL





» Covered by the Deanta 10 year manufacturers warranty

HP25GC glazed. Featured skirting and architrave - Half Splayed, white primed

FINISHES AVAILABLE


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - GLAZED CLEAR

HP25GC - CLEAR

GLASS OPTIONS





2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 021 PAGE 020





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL





SPECIFICATIONS



FINISHES AVAILABLE









2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



HP33 glazed in prefinished oak. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Metallic inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID / FD30

1981 x 838 x 44mm	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm
-------------------	---	---











PAGE 023 PAGE 022







HP34 in prefinished oak. Featured skirting and architrave - Shaker, oak

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

CL

» Clear toughened glass

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS




HP34

SIZES - SOLID / FD30 SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP34GC - CLEAR



FEATURES

13

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » Contract door option available MDF inlays
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

HP35 & HP35 unglazed in prefinished oak. Featured skirting and architrave - Shaker, oak

» Clear/Frosted toughened glass

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID / FD30

FINISHES AVAILABLE

032 x 864 x 44mm	
032 x 813 x 44mm	
981 x 762 x 44mm	
981 x 711 x 44mm	
981 x 838 x 44mm	

SIZES - CLEAR SIZES - CONTRACT

HP35

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 838 x 44mm

Χ	864	Χ	44mn
Χ	813	Χ	44mn
Χ	762	Χ	44mn
Χ	711	Χ	44mn
Χ	838	Χ	44mn
	X X X	x 813 x 762 x 711	x 864 x x 813 x x 762 x x 711 x x 838 x

HP35GC - CLEAR

SIZES - FROSTED

HP35GF - FROSTED

OAK

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm









- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass. Glazing options see page 100-101

GLASS OPTIONS

» Line bevelled glass available - see page 98-99

DOOR DETAIL









SPECIFICATIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm











FEATURES

» Solid core

» Prefinished

DOOR DETAIL

» Crown cut veneer

GLASS OPTIONS

» Clear bevelled toughened glass. Glazing options - see page 100-101

NM1 prefinished oak. Featured skirting and architrave - Victorian, white primed

» Covered by the Deanta 10 year manufacturers warranty



» Real American white oak veneer



SIZES - SOLID

FINISHES AVAILABLE

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM1

SIZES - CLEAR

NM1GC- CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

NM1G - UNGLAZED

OAK



HP38GL - LINE BEVELLED



NM2 in prefinished oak. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

<u> </u>	
032 x 864 x 44mm	2032 x 864 x 44mm
.032 x 813 x 44mm	2032 x 813 x 44mm
981 x 762 x 44mm	1981 x 762 x 44mm
981 x 711 x 44mm	1981 x 711 x 44mm
981 x 660 x 44mm	1981 x 660 x 44mm
981 x 610 x 44mm	1981 x 610 x 44mm
981 x 838 x 44mm	1981 x 838 x 44mm

FINISHES AVAILABLE





NM2





NM2G - UNGLAZED

SIZES - UNGLAZED



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

NM20 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

» Glazing options - see page 100-101

DOOR DETAIL



GLASS OPTIONS





OAK

FINISHES AVAILABLE

NM20




SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 029 PAGE 028





GLASS OPTIONS





SIZES - SOLID

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

NM3G - LINE BEVELLED


NM3G - UNGLAZED

SIZES - UNGLAZED

PAGE 031

OAK





- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- Covered by the Deanta 10 year manufacturers warrantyGlazing options see page 100-101

DOOR DETAIL









FINISHES AVAILABLE



NM4

SIZES - SOLID / FD30

1981 x 610 x 44mm

1981 x 838 x 44mm

SIZES - UNGLAZED

NM4G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm OAK



FINISHES AVAILABLE FEATURES » Real American white oak veneer » Crown cut veneer » Solid core » Prefinished » F30 minute Fire Rated door option available Covered by the Deanta 10 year manufacturers warranty
 Clear bevelled toughened glass NM5

DOOR DETAIL



GLASS OPTIONS

SPECIFICATIONS



SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 686 x 44mm 1981 x 660 x 44mm

1981 x 610 x 44mm

OAK




NM5GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 034

PAGE 036



FEATURES FINISHES AVAILABLE » Real American white oak veneer » Crown cut veneer

NM6GC - CLEAR

NM6GF - FROSTED

DOOR DETAIL



GLASS OPTIONS



SIZES - FROSTED

SIZES - CLEAR	SIZES - FROSTED
2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

OAK





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » F30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM8

SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

NM20 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed FEATURES



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass

DOOR DETAIL



GLASS OPTIONS



SIZES - BEVELLED

NM9GB - BEVELLED




OAK









- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Line venice glass available (special order) Glazing options see page 100-101

DOOR DETAIL



GLASS OPTIONS

SIZES - SOLID

RB7

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 660 x 44mm

RB7G - UNGLAZED

SIZES - UNGLAZED





FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty









DOOR DETAIL



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

PAGE 041 PAGE 040









- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL





GLASS OPTIONS







SIZES - UNGLAZED

VR4G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID / FD30

FLUSH

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 2032 x 923 x 44mm

PAGE 043 PAGE 042














DOOR DETAIL

- » Contract door option available
- » Covered by the Deanta 10 year warranty » 30 minute Fire Rated door option available

SPECIFICATIONS FD30 CT Contract

SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 610 x 44mm

 \triangle



FEATURES

» Ready for finish-coat

- » Solid core
- » Covered by the Deanta 10 year warranty
- » Clear/Frosted toughened glass
- » Frosted double laminated glass



SIZES - SOLID

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 660 x 44mm

1981 x 610 x 44mm

1981 x 838 x 44mm

HP1GC - CLEAR

SIZES - FROSTED

HP1GF - FROSTED





PRIMED

PAGE 049



- » Ready for finish-coat
- » Solid core
- » 30 minute Fire Rated door option available
- » Glazing options see page 100-101 » Bevelled glass available (special order) - see page 100-101

HP16G - UNGLAZED

HP16G - BEVELLED

DOOR DETAIL





GLASS OPTIONS



SPECIFICATIONS

SIZES - UNGLAZED / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

DOOR DETAIL

GLASS OPTIONS







CL FR



FEATURES

» Ready for finish-coat

- » Solid core

- » Clear bevelled toughened glass.

» 30 minute Fire Rated door option available

HP22

2032 x 864 x 44mm

HP21G - LINE BEVELLED

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS



2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm

SIZES - SOLID FD30

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - BEVELLED

» Ready for finish-coat

» Solid core

FEATURES

- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available » Clear/Frosted toughened glass

HP35 glazed in primed finish. Featured skirting and architrave - Moulded, white primed





GLASS OPTIONS



SPECIFICATIONS

FINISHES AVAILABLE



SIZES - SOLID FD30

HP35



SIZES - CLEAR

HP35GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

HP35GF - FROSTED

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 051 PAGE 050

9



HP36 in primed finish. Featured skirting and architrave - Georgain, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty

FINISHES AVAILABLE HP36 - FRONT


DOOR DETAIL



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP36 - BACK



DOOR DETAIL

GLASS OPTIONS





SIZES - SOLID FD30

HP37

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

HP37GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

HP37GF - FROSTED

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 053 PAGE 052

 ∞



FEATURES

» Ready for finish-coat

- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass. Glazing options see page 100-101

» Line bevelled glass available (special order) - see page 100-101

DOOR DETAIL **GLASS OPTIONS**





SPECIFICATIONS SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP38

SIZES - UNGLAZED

HP38G - UNGLAZED

HP38GB - LINE BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

RB7 in primed finish. Featured skirting and architrave - Geprgian, white primed FINISHES AVAILABLE

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Glazing options see page 100-101

RB7G - UNGLAZED

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 054

PRIMED

0 ()



FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Glazing options see page 48 (HP1)

HP39

DOOR DETAIL



SPECIFICATIONS



2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 660 x 44mm

SIZES - SOLID

SIZES - FD30

1981 x 762 x 44mm 1981 x 660 x 44mm

DOOR DETAIL

FEATURES

» Solid core

» Ready for finish-coat

» Covered by the Deanta 10 year warranty

» Glazing options - see page 100-101



GLASS OPTIONS



FINISHES AVAILABLE



NM1 in primed finish. Featured skirting and architrave - Half Splayed, white primed

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

NM1GC - CLEAR


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

NM1G - UNGLAZED

PRIMED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



* Handle Options - see page 9.

Key Set / WC Set Screw on Rose



Black Graphite

Key Set / WC Set Screw on Rose




NISHMORE

Key Set / WC Set Screw on Rose



Black Graphite





- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Glazing options see page 100-101
 » Line bevelled glass available (special order) see page 100-101

GLASS OPTIONS

NM3

NM3G - UNGLAZED

NM3GLB - LINE BEVELLED

NM3GB - BEVELLED

PRIMED

DOOR DETAIL









2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

1981 x 838 x 44mm

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm

SIZES - UNGLAZED

1981 x 711 x 44mm

1981 x 838 x 44mm

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm





- » Ready for finish-coat
- » Solid core

- Covered by the Deanta 10 year warranty
 30 minute Fire Rated door option available
- » Clear bevelled toughened glass



SIZES - SOLID / FD30

NM5GB - BEVELLED

DOOR DETAIL



BV Bevelled



SPECIFICATIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm





» Ready for finish-coat

» Solid core

NM6GC - CLEAR

NM6GF - FROSTED

DOOR DETAIL



GLASS OPTIONS



SIZES - CLEAR

1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 062

PRIMED

6 N N



FEATURES

» Ready for finish-coat

- » Solid core
- » Clear bevelled toughened glass

NM9GB - BEVELLED

DOOR DETAIL

GLASS OPTIONS





2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - BEVELLED



- » Frosted glass option has a clear border

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

NM11

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CLEAR

NM11GC - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - FROSTED

NM11GF - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 065 PAGE 064



FEATURES

» Ready for finish-coat

- » Solid core

VR2



DOOR DETAIL





GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP16 unglazed in primed finish. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- Covered by the Deanta 10 year warrantyGlazing options see page 100-101

FINISHES AVAILABLE







DOOR DETAIL





GLASS OPTIONS





SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



PAGE 067

PRIMED







FINISHES AVAILABLE



WR1



SPECIFICATIONS

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm


WR1G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

PRIMED

SIZES - SOLID FD30 SIZES - UNGLAZED

> 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



FEATURES

» Ready for finish-coat

- » Solid core
- » Glazing options see page 100-101

WM4

WM4G - UNGLAZED

DOOR DETAIL







SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

Flush primed with one coat dark gray colour finish.. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty» 30 minute Fire Rated door option available

FINISHES AVAILABLE





FLUSH

PRIMED

DOOR DETAIL



SPECIFICATIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 2032 x 923 x 44mm

PAGE 071 PAGE 070





FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished» Contract door option available
- 30 minute Fire Rated door option available
 Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS





1981 x 610 x 44mm 1981 x 838 x 44mm WALNUT



HP12SC; HP12CT

SIZES - CONTRACT SIZES - SOLID FD30


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm WALNUT



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass
- » Double laminated Frosted glass

DOOR DETAIL





GLASS OPTIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - SOLID

SIZES - CLEAR

HP1GC - CLEAR

2032 x 864 x 44mm	2
2032 x 813 x 44mm	2
1981 x 762 x 44mm	1
1981 x 711 x 44mm	1
1981 x 660 x 44mm	1
1981 x 610 x 44mm	1
1981 x 838 x 44mm	1

HP1GF - FROSTED

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core

- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-10
- » Bevelled glass available (special order) see page 100-101

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

HP16G - UNGLAZED

HP16G - BEVELLED

WALNUT

9


SIZES - UNGLAZED FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 075 PAGE 074

WALNUT

 ∞



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS

SIZES - SOLID / FD30 SIZES - UNGLAZED/FD30 SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm

HP18

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP18G - UNGLAZED

NM2 in prefinished walnut. Featured skirting and architrave - Half Splayed, white primed FEATURES

FINISHES AVAILABLE

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL



GLASS OPTIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM2

WALNUT

NM2G - UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 077 PAGE 076





- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass











SPECIFICATIONS

SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT SIZES - CLEAR

HP24

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP24GC - CLEAR

PAGE 079

WALNUT





HP35GC - CLEAR



WALNUT

5

DOOR DETAIL



GLASS OPTIONS



SPECIFICATIONS



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR SIZES - FROSTED

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm


PAGE 080



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Fire door option available (special order)
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
- » Line bevelled & venice glass available see page 100-101

DOOR DETAIL







GLASS OPTIONS

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - SOLID

NM3

SIZES - UNGLAZED

NM3G - UNGLAZED





- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL



GLASS OPTIONS

UG BV FL LU
Unglazed Bevelled Flora



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

NM4

SIZES - UNGLAZED

NM4G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm WALNUT

PAGE 083 PAGE 082

NM3GB - LINE BEVELLED

WALNUT

* Handle Options - see page 9.



Black Graphite









- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty» Clear bevelled toughened glass

GLASS OPTIONS







FINISHES AVAILABLE



SIZES - SOLID FD30

NM5


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 686 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - BEVELLED

NM5GB - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 084



FEATURES

» Real American walnut veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass

DOOR DETAIL

GLASS OPTIONS





SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm

NM6GC - CLEAR

C - CLEAR NM6GF - FROSTED

SIZES - FROSTED



- » Real American walnut veneer
- » Crown cut veneer
- » Solid core» Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass

DOOR DETAIL



GLASS OPTIONS

NM9G glazed in prefinished walnut. Featured skirting and architrave - Victoriona, white primed

FINISHES AVAILABLE



155 01 110



WALNUT

\(\sum_{Z} \)

NM9GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

WALNUT



FEATURES


» Real American walnut veneer

» Crown cut veneer

- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL







SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

RB7 - SOLID

SIZES - UNGLAZED

RB7G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



SPECIFICATIONS



FLUSH

WALNUT

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 2032 x 923 x 44mm

PAGE 089 PAGE 088

FINISHES AVAILABLE 30 minute Fire Rated door option available Covered by the Deanta 10 year manufacturers warranty High gloss finish

- » Dark Grey Ash
- » Solid core

FEATURES

BERR BONG IN

» Prefinished

DOOR DETAIL

SPECIFICATIONS



GLASS OPTIONS



SIZES - SOLID FD30 SIZES - CLEAR

HP30

2032 x 864 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm

HP30GC - CLEAR

ASH





- » Wenge crown cut veneer
- » Solid core
- » Prefinished
- 30 minute Fire Rated door option available
 Covered by the Deanta 10 year manufacturers warranty
 High gloss finish

CL

HP31

HP31GC - CLEAR

DOOR DETAIL



GLASS OPTIONS





SPECIFICATIONS

SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm WENGE

PAGE 094





VR1

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR2

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR3

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm




VR4G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm











VR2G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS











VR20G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS


















Glass Intumesant Fire Seal

Glazing Panels, Intumesant fire resistant seals are also used as part of a glazed system which secures the seals, Fire rated glass to be installed also available from suitable glazers.



Glass Intumesant Fire Seal

2mm - 3mm. Intumesent Fire seals must be inserted to the frame, a combined smoke and fire seal is best recommended commonly known as a Brushed Seal.












GLASS INTUMESCENT FIRE SEAL Intumescent glazing gasket

PAGE 097 PAGE 096





SOLID CORE DOOR

v-groove sanded



CONTRACT DOOR

MDF face, v-groove sanded, stained to tone with wood







HP18 Oak Page: 015



HP24 Oak Page: 019



HP35 Oak Page: 025



CT

HP12 Primed Page: 046







HP39 Primed Page: 056



HP12 Walnut Page: 072



HP18 Walnut Page: 076



HP24 Walnut

Page: 078

HP35 Walnut Page: 080































WM4G Primed

Bevelled



Flora



Luma

























Flora



Luma







Line Bevelled



Venice




















Flora



Luma



Venice









Bevelled





Venice





Bevelled



PAGE 101



WELLS





Oak Primed

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 110mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



GEORGIAN





Oak

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

Primed



ULYSSES



FEATURES

» Available in White Primed



Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Skirting: 5.4M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

ELIZABETHAN



FEATURES

» Available in Prefinished Oak



Oak

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

MOULDED





Oak

Walnut

FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 3.66M x 145mm x 18mm
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)











SHAKER



FEATURES

» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



VICTORIANA



FEATURES

» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.66M x 180mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 100mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



HALF SPLAYED



FEATURES


» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



TUDOR



FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 5.4M x 145mm x 18mm, Skirting: 3.6M x 145mm x 18mm
- » Architrave: 80mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



EASY-FIT

dēanta

Deanta Doors have a new innovative range of Easy-Fit Skirting & Architrave.

The Easy-Fit range will also be coming to the Oak & Walnut range of Skirting & Architrave.



SKIRTING:

Excess plaster gathering in the corners, with the chamfer at the bottom of our easy fit skirting, this is no longer an issue.



ARCHITRAVE:

Sometimes the plaster and door frame might not line up, with the 70mm x 2mm rebate at the back of the architrave you will get a smoother finish every time.

EASY-FIT HALF SPLAYED



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 145mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT WELLS



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm
- » Architrave: 110mm x 18mm



EASY-FIT GEORGIAN



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 144mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT VICTORIANA

EASY-FIT SHAKER



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 147mm x 16mm
- » Architrave: 80mm x 16mm



EASY-FIT TUDOR



FEATURES

» Prefinished

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 80mm x 18mm



EASY-FIT ULYSSES



FEATURES

» Prefinished

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm




FEATURES

» White Primed


SIZES

- » Skirting: 3.6M x 180mm x 18mm
- » Architrave: 100mm x 18mm





PRIMED CORNER BLOCKS







FEATURES

» All Designs White Primed

SIZES

» All Designs: 114 x 114 x 24mm





CBPG001 CBPG002



CBPG004



CBPG005



CBPG008



CBPG010

ADJUSTABLE DOOR FRAMES & CASINGS

Our removable stop frames and adjustable door casings (frames and architraves) have been specially designed to make life easier for you. Choosing one of our adjustable door casings means that installation is a breeze, and one of our kits will fit just about any wall you have in your home.

These casings simplify the process of fitting door frames and architraves and give a wonderful finish with moulded and shaker style architrave

Adjustable frames available in 98mm and 125mm versions in Oak or Walnut, Half Splayed (oak only), Shaker or Moulded Adjustable Architrave.

FEATURES


- » Available in Prefinished Oak & Walnut
- » Available in Shaker, Moulded or Half Splayed (oak only)

SIZES

- » 98mm frame (adjusts up to 125mm)
- » 125mm frame (adjusts up to 155mm)








DOUBLE DOOR DIVIDERS





FEATURES





SIZES

» Available in Prefinished Oak & Walnut & White Primed

2200 x 52 x 32mm

STANDARD DOOR FRAME

Our standard door frame features a removable stop allowing you to cover installation markings on the main frame giving a clean and professional finish. Our door frames are solid engineered timber with a veneer wrap finish and is also available as solid engineered oak with veneer.

Frames can be grooved out to accommodate an intumescent strip for making a fire frame when using DEANTA fire doors. They may also be suitable for other fire doors, but before proceeding please make sure to check the certification first. Our frames are made from Finger jointed Fir and faced with MDF adding stability to our frames (Frames to be fitted after plastering is completed and dry only).

FEATURES

- » Available in Prefinished Oak, Walnut & White primed
- » Solid engineered timber


SIZES

2077M x 1100 x 133 x 42mm 2077M x 1100 x 98 x 42mm

Oak Oak








REBATED DOOR FRAMES






FEATURES


- » Available in Prefinished Oak & White primed
- » Solid engineered timber

SIZES

2077M x 1100 x 133 x 42mm 2077M x 1100 x 100 x 42mm








FIRE REBATED DOOR FRAMES





FEATURES

- » Available in Prefinished Oak & White primed
- » Solid engineered timber
- » Grooved for intumescent strip
- » FD30 Fire rated door frame

SIZES

2077M x 1100 x 133 x 42mm 2077M x 1100 x 100 x 42mm

PAGE 110

Primed

PRIMED WINDOW BOARD

HOCKEY STICK DOOR FRAME



FEATURES

» Available in White Prime finish

SIZES

2400 x 219 x 25mm

219





FEATURES

» Available in Prefinished Oak & White Primed

SIZES

2250 x 31 x 20mm

HEEL BLOCKS WELLS

HEEL BLOCKS VICTORIANA

Walnut

DOOR FRAME FILLER



Walnut



Primed







Primed

Oak




FEATURES

» Available in Prefinished Oak & Walnut & White Primed

SIZES

250 x 124 x 24mm




FEATURES

Oak

» Available in Prefinished Oak & Walnut & White Primed

SIZES

210 x 110 x 24mm



FEATURES

- » Available in Prefinished Oak & Walnut
- » Useful when you need to build out a Door Frame

SIZES

2100 x 200 x 16mm




PanellingBoard

Skirting

Beading (Top)

PanellingBoard




New to the Deanta range "The Edwardian" wall panelling. Really revamp your room with Deantas' simple, elegant and affordable wall panelling. Not only is "The Edwardian" wall panelling inexpensive and can save you considerable time, it is also easy to install. Complements the Deanta range of quality doors, skirting, architrave and door hardware.

Single pack of wall panelling comes with:

- 1 x (2420mm x 34mm x 31mm) length of large (top) beading
- 4 x (2420mm x 80mm x 15mm) lengths of board panelling
- 4 x (2420mm x 25mm x 31mm) lengths of (inside) beading

For further information visit our website at: www.deantadoors.ie or please contact your local stockist.



PAGE 114 PAGE 115




We have sensor lighting throughout or site to ensure that no power is wasted when not in use.





We use mains water dispensers to reduce the use of plastic bottles and help the environment








BEING RESPONSIBLE

In an age where there is continued depletion of natural resources, companies throughout the world have shifted priorities to become more environmentally aware.

At Deanta, we have realised how our operations can impact the environment so we are investing heavily to become more environmentally responsible. Throughout the business we are working to reduce our carbon footprint, helping to protect our planet and ensuring we have a positive impact on our society, economy and environment. We are always looking at ways we can reduce, reuse and recycle the resources we use.

We apply environmentally friendly practises into our office and the supply chain:

- » 98% of all our onsite waste is recycled. We have recycling bins throughout the site including in our staff canteens, to make sure all Deanta employees are doing their bit for the planet.
- » We have installed solar panels on the roof of our building which creates enough energy to make our building self-sustainable for seven months.
- » All our timber is sourced from North American forests with sound environmental forest management schemes. These schemes ensure the forests biodiversity, productivity and ecological processes as well as protecting the rights of local people.
- » We have sensor lighting and taps throughout our site to help us ensure that no power or water is wasted when not in use.
- » We use mains water dispensers to reduce the use of plastic bottles and help the environment.



THE DEANTA DIFFERENCE


With an established reputation for commitment to innovative design, unsurpassed craftsmanship and excellent client service, Deanta is committed to standing out from the crowd in the door industry.

At Deanta, we manufacture all of our doors in our very own manufacturing facility. This not only allows us to control stock supply but it also allows us to have full control of the quality control process to ensure every door that leaves our factory is of the very highest standard. We have rigorous quality control procedures in place to check every single door and we stand by this with a limited 10 Year Manufacturer Warranty on all of our doors.

Our team of highly skilled craftsmen, with the help of the latest state-of-the-art technology, achieve a perfect finish to an exceptionally high standard and lasting quality to every single door. Our team are able to offer bespoke doors to meet your exact requirements – in any size and any finish. For more information about our bespoke design service please refer to page 7.

Above all else, what truly makes us stand out from the rest is our customer care. We truly care about the experience our customers have when they deal with us. We welcome feedback and continually strive to offer unsurpassed customer care. We are a company that gives solutions, not problems.

Deanta has over twenty-five years of experience in the building and design industry which we strongly feel is fundamental in building strong, sound working relationships with our clients who are mostly door merchants – and to their customers – designers, architects and builders. That's why they keep coming back to us.



TERMS & CONDITIONS

We offer a limited ten year warranty on all our doors. Any Deanta door that warps* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DEANTA DOOR.

- » All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after hanging.
- » All doors must be measured individually when having glass fitted. Deanta doors are hand-assembled, and as such, we cannot guarantee each aperture is the exact same size. We recommend you use a qualified glass
- » Doors must be stored horizontally on a clean, dry, flat and level surface.
- » Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be recorded.
- » For doors to acclimatize, they should be left in the house prior to installation for at least 21 days with the ambient temperature gradually increased over this period.
- » Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.
- » Take no more than **10mm** (30mm for FD30) off the width and height of doors in equal amounts on all edges. Planed edges of prefinished doors must be refinished using three coats of internal wood finish.
- » We recommend the use of three sets of hinges per door.

- » We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Deanta for recommended brands.
- » Should a door be removed from it original packaging. It can not be returned.
- » Should a door be hanged, it can not be returned.

UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILTY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DEANTA DOOR WILL VOID THE WARRANTY.

*Warp/bow/cup/twist (as set out in the relevant Building Standards) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which itis hung.

*FIRE DOOR DISCLAIMER - Doors with a fire door symbol are only available in the solid and unglazed options.




*TOUGHENED GLASS DISCLAIMER - In accordance with BS EN 12150 and BS EN 12600 we use toughened glass in all our glass doors. Toughened glass is glass that has gone through controlled thermal processes to increase its strength compared to normal glass. In the event of an abnormal impact to toughened glass, the glass shatters into small fragments instead of sharp shards making it safer and less likely to cause injury.

For more information on our warranty please visit our website at: www.deantadoors.ie.

STOCKISTS

We have stockists throughout the island of Ireland. To find your nearest retailer please visit our website.





YOUR DOOR. YOUR SIZE. YOUR STYLE. OUR PLEASURE.

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: www.deantadoors.ie for more information.



Deanta - Kerry

Curraheen, Tralee, Co. Kerry

Deanta - Dublin

2 Cloverhill Industrial Estate, Clondalkin, Dublin 22

T: +353 (0) 66 71 94828 E: info@deantadoors.ie W. www.deantadoors.ie Local Stockist: